MAX LUBOL

Perfect Blending Solutions for Automotive & Industrial Lubricants

AN ISO 9001:2015 CERTIFIED COMPANY











MAX LUBOL

Quality Policy

Max Lubol is committed to produce and market high quality Lubricants to ensure customer satisfaction, through:

- **Delivering Excellence Lubricants,**
- **With Market-in concept,**
- **Determined improved through different**
- **distribution chain**

A	Type of Enterprise	Micro	Small	Medium
	Manufacturing	A	B	C
	Services	D	E	F
	UAM No.	UP50A0018083		

Udyog Aadhaar Acknowledgement

Udyog Aadhaar Number	UP50A0018083
Name of Enterprise	AVIMANN LUBRICANTS PRIVATE LIMITED
Postal Address	365/259, MOHAMMADGANJ, SAADATGANJ, LUCKNOW District LUCKNOW State UTTAR PRADESH PIN 226003 Mobile No: 8318279841 Email: avimannlubricants@gmail.com
Date of commencement	07/06/2018
Previous Registration details-if any	::
Acknowledgement	Date of Filing 01/11/2018

Disclaimer: This is computer generated statement, no signature required.
Printed from udyogaadhaar.gov.in

MSME unit can approach Micro and Small Enterprise Facilitation Councile (MSEFC) in their State to redress their delayed payment grievance

Please click here to print online.

For different Scheme Click Here

Click Here to fill data on MSME Databank. This will help you to avail schemes benefits of Ministry of MSME, Govt. of India.

For eBook of MSME Click Here

MyMsme Mobile App (Beta Version) is available now for download.
https://play.google.com/store/apps/details?id=msme.mymsme

QUALITY MANAGEMENT SYSTEM

Certificate of Registration

ROHS

This is to Certify That The Quality Management System of

AVIMANN LUBRICANTS PRIVATE LIMITED

365/259, MOHAMMADGANJ, SAADATGANJ, LUCKNOW – 226003,
UTTAR PRADESH, INDIA.

has been assessed and found to conform to the requirements of

ISO 9001:2015

for the following scope :

MANUFACTURING AND TRADING OF INDUSTRIAL OILS AND GREASES, LUBRICANTS, COOLANTS AND ENGINE OILS, GEAR OIL, BREAK OIL.

Certificate No	**20DQGK90**		
Initial Registration Date	: 10/07/2020	Issuance Date	: 10/07/2020
Date of Expiry*	: 09/07/2023		
1st Surve. Due	: 10/06/2021	2nd Surve. Due	: 10/06/2022

DIRECTOR
ROHS Certification Pvt. Ltd.

IAF MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT

eiaci Emirates International Accreditation Centre
035-CB-QMS











Two Wheeler Range



Max 4T 20W40 API SM



Max 4T is specially formulated engine oil for high class and 4 stroke engine to provide superior performance on Indian roads and environments. it meets the complete lubrication needs of your scooter and motorcycles.

Max 4T meets the requirements of API SM and JASO MA2 recommended for the use in Bajaj, Yamaha, LML, TVS, Hero, Suzuki, Honda and other motor cycles and Scooters.

Packing Size Available : 210, 50, 1 Litre and 900ml

Multigrade 20W50 API SM



Multigrade 20W50 is blended with high quality of additives to provide superior protection against engine wear and corrosion. It is premium engine oil for use in petrol and CNG driven cars & bike.

Multigrade 20W50 meets the requirements of API SM recommended for passenger Vehicles and Cars.

Packing Size Available : 210, 50, 3, 1 Litre

MAX LUBOL 4T 20W40 API SM



Max 4T is specially formulated engine oil for high class and 4 stroke engine to provide superior performance on Indian roads and environments. it meets the complete lubrication needs of your scooter and motorcycles.

Max 4T meets the requirements of API SM and JASO MA2 recommended for the use in Bajaj, Yamaha, LML, TVS, Hero, Suzuki, Honda and other motor cycles and Scooters.

Packing Size Available : 210, 50, 1 Litre and 900ml



Two Wheeler Range



Max Synthetic Oil 10W30 API SN



Max Synthetic Oil 10W30 is premium quality engine oil is formulated for all new generations 4 stroke engine to provide suprior performance on Indian roads and environments. It meets the complete lubrication needs of scooters and Motorcyles.

Max Synthetic Oil 10W30 meets the requirements of API SN recommended for all new generations automatic scooters etc.

Packing Size Available : 210, 50, 1, Litre, 800ml

Liquid Power 15W50 API SM



Liquid Power Premium engine oil designed for Bullet motorcycles. Uniquely designed molecules of engine oil keeps engine running like new even in demanding & arduous operating conditions. Liquid Power premium 15W-50 is a unique engine oil designed from a combination of synthetic and mineral base requirements high performance additives to exceed the highest performance requirement of crankcase and gear lubrication.

Packing Size Available : 210, 50, 2.5 Litre

GEAR OIL EP 90/EP 140



Gear Oil EP90/EP140 is extreme pressure gear lubricating oils with good oxidation stability. It provides perfect wear protection & provide Anti wear and Anti rust properties.

Gear Oil EP90/EP140 meets the requirement of API GL4/GL 5 recommended for Gear box of heavy duty like passenger cars, trucks, van and buses.

Packing Size Available : 210, 50, 20, 10, 5, 1 Litre

GEAR OIL 80W90



Max Lubol Gear Oil 80W90 is premium gear lubricant possessing enhanced synchronizer compatibility and proving increased transmission protection. Max Lubol 80W90 is recommended for transmissions of passenger cars, trucks, farm tractors and earthmoving equipments where an SAE 80W90 API GL-5 performance is specified.

Packing Size Available : 210, 50, 20, 10, 5, 1 Litre







DEO & PCMO Range

Multigrade 20W50 API SM



Multigrade 20W50 is blended with high quality of additives to provide superior protection against engine wear and corrosion. It is premium engine oil for use in petrol and CNG driven cars. Multigrade 20W50 meets the requirements of API SM recommended for passenger Vehicles and Cars.

Packing Size Available : 210, 50, 3, 1 Litre

Synthetic Engine Oil 5W-30 API SN/CF



Max Lubol 5W-30 is an advanced full synthetic engine oil designed to keep your engine running like new by providing exceptional wear protection, cleaning power & overall performance.
Max Lubol 5W-30 meets or exceeds the requirements of the industry's toughest standard and outperforms our conventional oils. Max Lubol technology comes as standard equipment in many different vehicles, including select high-performance vehicles.

Packing Size Available : 210, 50, 3.5 Litre

MAX DEO 15W40 CF4/CH4/CI4



MAX DEO 15W40 CF4/CH4/CI4 is a high quality heavy duty diesel engine oil which is specially formulated to provide long engine life. Max engine oil has high shear stability to provide non-foaming characteristics.

MAX DEO 15W40 meets the requirement of API CF4/CH4/CI4 recommended for Truck, Buses, off highway equipments, LCVs, cars and mini trucks for Tata Motors, Ashok Leyland, Mahindra, Eicher Motors, Swaraj Mazda, Piaggio, Bajaj, Caterpillar, Volvo, Ford, Cummins, Isuzu, Simpsons, Greaves, Kirloskar, etc.

Packing Size Available : 210, 50, 20, 15, 10, 7.5, 5, 3, 1 Litre

MAX DEO 20W40 CF4



MAX DEO 20W40 CF4 is a high quality heavy duty diesel engine oil which is specially formulated to provide long engine life. Max engine oil has high shear stability to provide non-foaming characteristics.

MAX DEO 20W40 meets the requirement of API CF4 recommended for Truck, Buses, off highway equipments, LCVs, cars and mini trucks for Tata Motors, Ashok Leyland, Mahindra, Eicher Motors, Swaraj Mazda, Piaggio, Bajaj, Caterpillar, Volvo, Ford, Cummins, Isuzu, Simpsons, Greaves, Kirloskar, etc.

Packing Size Available : 210, 50, 20, 5 Litre






DEO & PCMO Range

Pumpset Oil - PSO



It is high performance monograde(SAE-20W40) engine oil, meeting API:SC/CC performance requirement. It is specially formulated from petroleum mineral oil, fortified with additives, to meet anti-wear and foam inhibitor requirements of petrol/diesel pump sets used for agriculture application.

Packing Size Available : 50, 5, 3.5,1.5, 1 Litre

Hydraulic Oil AW-32/46/68



Max Lubol Hydraulic oil 32/46/68 No. is a high grade Hydraulic oil series based upon selected solvent-refined base oil having a naturally high viscosity index , under addition of additives to obtain the following properties :

- Performance benefits
- Excellent protection against wear.
- Foaming stability
- Excellent oxidation stability.

Packing Size Available : 210, 50, 26, 5 Litre

All purpose grease AP3/APLR/Chassis/Red Gel



Max LUBOL is a high quality, multipurpose, NLGI 3 grade, calcium grease based on a mineral oil. It is formulated to provide added protection against rusting and water washout in general purpose automotive applications at moderate temperatures and loads.

Packing Size Available : 18, 5, 2, 1kg, 500gr

Transmission & Steering oil TQ ATF



Transmission oil blended from selected base oil and additives ensure longer gear life protection against rust and corrosion

Packing Size Available : 3, 1 Litre, 500ml






DEO & PCMO Range

Avitrol Coolant



Avitrol concentrate coolant can be used for all types of vehicles to prevent boiling of cooling water in all condition.

To protect radiator from rust, and to prevent radiator from corrosion.

Packing Size Available : 50,10, 5, 1 Litre

Maxcool Coolant



Maxcool concentrate coolant can be used for all types of vehicles to prevent boiling of cooling water in all condition.

To protect radiator from rust, and to prevent radiator from corrosion.

Packing Size Available : 50,10, 5, 1 Litre

Break Oil DOT-3/DOT-4



Break Oil DOT-3/DOT-4 suitable for all break and systems excepts mineral oil system. This is fluid service Recommended for all gilling and other hydraulic break performance requirements exceeds the clutch system.

Packing Size Available : 500, 250 ML

SHOCKER OIL



Max Lubol Shocker oil is a high quality shocker oil for Auto, Industrial Shockers. Extended shocker life protection against rusting and corrosion.

Packing Size Available : 175 ML



MAX

LUBOL

AVIMANN LUBRICANTS PVT. LTD.
E-3827, Near Tempo Stand, Rajajipuram, Lucknow
Website: www.maxlubol.com
E-mail : info@maxlubol.com, avimannlubricants@gmail.com
Mob. : 6306552500, 8318279841, 9305989899